




VICSTORE

VICGLOBAL LINE



Experience shelving with unmatched durability and versatility.

vicstore.com



70 years of experience in the retail business

Tailored solutions for any business.

Share your ideas, and our advisors will guide you to the perfect fit or a customized merchandising solution.

VICGlobal where innovation meets functionality

Experience shelving with unmatched durability and versatility. This robust system ensures quick installation and effortless rearrangement, featuring practical elements like reversible shelves for innovative functionality.



VICSTORE

TABLE OF CONTENTS

General Details

- 4 Post + Option panels

Wall

- 5 Back Panel Options

Wall Accessories

- 6 Posts
- 7 Wall/End Unit
- 8 Wall

Gondola and Accessories

- 9 Full Gondola
- 10 Double End Cap
- 11 Platforms
- 12 Steel Shelving
- 13 Reversible Shelf
- 14 Brackets
- 15 Shelf with Brackets
- 15 Shelf with Tilting Brackets
- 16 Acrylic Fence
- 16 Wire Fence
- 16 Metal Fence
- 17 Wood & Glass Shelf
- 18 Standard End Panel
- 18 Radius End Panel
- 19 Melamine Inside Corner
- 19 Wire Side Wings
- 20 Side Wings
- 21 Canopy
- 22 Extensions
- 23 Magazine Display
- 23 Metal Basket
- 24 Wire Basket
- 24 Inclined Shelf 45°
- 24 Crossbar
- 25 Metal Display Cabinet

Panel Accessories

- 26 Slatwall Panel
- 26 Wall Posts
- 27 Slatwall Hooks
- 27 Small Hooks
- 28 Hook for Perforated Panel
- 28 Hook for Crossbar RCB
- 28 Hook with Label for Perforated Panel
- 29 Self-Adhesive Clear Label Moulding
- 29 Color Label Moulding
- 29 Ticket Moulding

Other Furniture


- 30 4-Way Display
- 31 Cigarette Cabinets




VICGlobal – Your Ultimate Shelving Solution!

Enjoy the convenience of reversible shelves, seamless shelf adjustments, and swift installation with our user friendly baseboards.

- 1 Top Cap (22GA) offers strength and stability preventing removal.
- 2 The panel joint is used to maintain two (2) Back Panel sections
- 3 Galvanized steel reinforced crossbar (22 GA)
- 4 Galvanized steel back panel support (22 GA)
- 5 Twenty (20) gauge steel kick plate black finish. Kick plate attachment now provides easier and quick installation
- 6 Back panels offer a choice of various finishes; pegboard (standard), plain hardboard, slatwall, metal pegboard, plain metal and melamine.
- 7 Base cover (22 GA) black finish
- 8 Alloy steel straight shelf support (12 GA)
- 9 Patented perforated reversible-shelf




METAL STANDARD COLORS



Other colors are available at an additional cost.


MELAMINE STANDARD COLORS




Finishes: cabinets and decorative elements. Colours are also available without urea-formaldehyde. Due to the printing process of this catalog, actual product colors may vary.

BACK PANEL OPTIONS

BP__ & BPS__



Panel	Post Dim.	Panel Dim.	Total Dim.
BPLL06	6"	6"	6"
BPLL12	12"	12"	12"
BPLL18	18"	18"	18"
BPLL24	24"	24"	24"
BPLL36	36"	30"	30"
BPLL42	42"	36"	36"
BPLL48	48"	42"	42"
BPLL54	54"	48"	48"
BPLL27	60"	26 7/8"	54"
BPLL27		26 7/8"	
BPLL54	66"	48"	60"
BPLL12		12"	
BPLL54	72"	48"	66"
BPLL18		18"	
BPLL54	84"	48"	78"
BPLL36		30"	
BPLL54	96"	48"	90"
BPLL48		42"	




Panel	Panel	Post Dim.	Panel Dim.	QTY	Total Dim.
BPS1__06	BPS2__06	36"	6"	1	30"
BPS1__12	BPS2__12		12"	2	
BPS1__12	BPS2__12	42"	12"	3	36"
BPS1__06	BPS2__06	48"	6"	1	42"
BPS1__12	BPS2__12		12"	3	
BPS2__12	BPS2__12	54"	12"	4	48"
BPS2__06	BPS2__06	60"	6"	1	54"
BPS2__12	BPS2__12		12"	4	
BPS2__12	BPS2__12	66"	12"	5	60"
BPS2__06	BPS2__06	72"	6"	1	66"
BPS2__12	BPS2__12		12"	5	
BPS2__06	BPS2__06	84"	6"	1	78"
BPS2__12	BPS2__12		12"	6	
BPS2__06	BPS2__06	96"	6"	1	90"
BPS2__12	BPS2__12		12"	7	


* Available in 24", 30", 36", and 48" wide

POSTS


DP__



End Double Post






Center Double Post




The double post allows the shelves hanging on both sides of the section.
(Used on wall or central section)

ADDITIONAL
CLOSE-UP VIEWS




WALL/END UNIT

RHG__ DHG__



FEATURES

- **RHG & DHG** structure to be installed along a Wall
- The **RHG** must be secure to a wall. Wall fixing sold separately: **WFDP1382LL-01**
- **DHG** structure to be installed when the back is visible and at the end of a run.
- The difference between the wall units is regarding the back panels



No.	Part No.	RHG	DHG	Description
1	DC LL	X	X	Double end cap
2	BP LL HH	X		Perforated masonite back (qty. depending on height)
	BP LL HH		X	Perforated masonite back (qty. depending on height)
3	DP102 HH	X	X	Double end post
3C	DP101 HH	X	X	Double center post
4	RBD LL	X	X	Double reinforcement crossbar
5	PJP LL	X		Single panel joint (from 60" high)
	PJPD LL		X	Double panel joint (from 60" high)
6	WP LL		X	Wall plate
7	PSMD LL	X	X	Double panel support
8	BC DD	X	X	Base cover
9	FB DD	X	X	Base foot
10	KP LL	X	X	Kick plate
11	S LLDD	X	X	Shelf
12	FBL506		X	Anchor and lock for upright foot



ORDER CODE: RHG48228422F-P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

XXX	LL	DD	HH	X	-X
RHG	24	10	36	F	Without
DHG	30	12	48	(First)	extensions
	36	14	54		(Perforated)
	48	16	60	A	Standard
		18	66	(Add)	
		20	72		P
		22	84		(Plain)
		24	96		WSW
		26			(Slatwall)
		28			
		30			


WALL

SWMDP__



FEATURES

- Structure to be installed along a Wall
- Double post allowing the installation of shelves and accessories at the front
- The **SWMDP** must be secure to a wall.
Wall fixing sold separately: **WFDP1382LL-01**



No.	Part No.	Description
1	DC LL	Double end cap
2	BP LL HH	Perforated masonite back (qty. depending on height)
	BP LL HH	Perforated masonite back (qty. depending on height)
3	DP102 HH	Double end post
3C	DP101 HH	Double center post
4	RBD LL	Double reinforcement cross bar
5	PJP LL	Single panel joint (from 60" high)
	PJPD LL	Double panel joint (from 60" high)
6	WP LL	Wall plate
7	PSMD LL	Double panel support


ORDER CODE: SWMDP482284F-P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SWMDP	LL	HH	X	-XXX
	24 30 36 48	48 54 60 66 72 84 96	F (First) A (Add)	Without extensions (Perforated) Standard P (Plain) WSW (Slatwall)


FULL GONDOLA

FG__



FEATURES

- Self-supporting structure forming a central section including posts, legs, back panels and structural elements.
- Double post allowing the installation of shelves and accessories with heavy load.



No.	Part No.	Description
1	DC LL	Double end cap
2	BP LL HH	Perforated masonite back (qty. depending on height)
3	DP102 HH	Double end post
3C	DP101 HH	Double center post
4	RBD LL	Double reinforcement cross bar
5	PJPD LL	Double panel joint (from 60" high)
6	PSMD LL	Double panel support
7	BC DD	Base cover
8	FB DD	Base foot
9	KP LL	Kick plate
10	S LL DD	Shelf


ORDER CODE: FG482284F-P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

FG	LL	DD	HH	X	-XXX
	24 30 36 48	10 12 14 16 18 20 22 24 26 28 30	36 48 54 60 66 72 84 96	F (First) A (Add)	Without extensions (Perforated) Standard P (Plain) WSW (Slatwall)

DOUBLE END CAP

DEP__




FEATURES

- Structure to be installed at the end of a double island including posts, back panels and structural elements.
- Double post allowing the installation of shelves with heavy load and accessories.
- Standard double back. **Must be fixed to the double island** using the included **EPF1327-02** fastener.
- Sold in complete section.

OPTION

- For end of island with base, use a DHG and add an **EPF1327-02**




No.	Part No.	Description
1	DC LL	Double end cap
2	BP LL HH	Perforated masonite back (qty. depending on height)
3	DP102 HH	Double end post
4	RBD LL	Double reinforcement cross bar
5	PJPD LL	Double panel joint (from 60" high)
6	PSMD LL	Double panel support
7	WP LL	Wall plate
8	EPF1327-02	Top fixation for end panel

ORDER CODE: DEP4884-P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

DEP	LL	HH	-XXX
	24	36	Without extensions (Perforated) Standard
	30	48	
	36	54	
	48	60	
		66	P (Plain)
		72	
		84	WSW (Slatwall)
		96	



FEATURES

- Independent platform for island end section. Can be removed and repositioned quickly. Top with rounded corners in perforated steel.
- Straight perimeter molding that cannot receive labels.
- Base frame in black finished steel with levelers.

CHARGE CAPACITY

- 250 lbs maximum capacity

FEATURES

- Standard platform to install on the end section of an island or along a wall section.
- Made up of base feet, perforated shelf, kick plate and base covers.
- We must tilt the post to install this platform.
- Also available in additional **ADD** sections.

CHARGE CAPACITY

- Refer to page 14

ORDER CODE: ESP3614

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ESP	LL	DD
	24	12
	30	14
	36	16
	48	18

ORDER CODE: OP4816

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

OP	LL	DD
	24	10 22
	30	12 24
	36	14 26
	48	16 28
		18 30
		20

VICGlobal – presents endless possibilities with their **Steel Shelving** system.

Tailor your space with infinite customization!



1 WALL SECTION

- 24, 30, 36 or 48" wide
- Double Post
- 48 to 96" high
- Base shelf 8 to 30" deep (2-inch increments)
- Self-standing structure or fixed to a wall fixation for enhanced load capacity
- Opened / Closed base

2 FULL GONDOLA

- 24, 30, 36 or 48" wide
- 48 to 96" high
- Base shelf 8 to 30" deep (2-inch increments)
- Self-standing structure
- Opened / Closed base

3 END UNIT

- 24, 30, 36 or 48" wide
- 48 to 96" high
- Base shelf 8 to 30" deep (2-inch increments)
- T-bracket
- Opened / Closed base

4 SHELF

- 24, 30, 36 or 48" wide
- Reversible, ticket moulding on one side and smooth front edge on the other
- Straight or sloped position bracket
- 8 to 30" deep (2-inch increments)
- Standard shelf made of steel
- Glass or melamine shelves optional

5 BACK PANEL


- Standard back panel perforated
- Plain hardboard, wooden slatwall or metal panel available
- Easy slide-in panels
- Colour coordinated to match steel colour

ACCESSORIES

- Wire baskets and dividers
- Perforated board or slatwall hooks
- Magazine display
- Metallic bin baskets and dividers
- Canopy
- Metal Display Cabinet
- End panel
- Acrylic and metal fences
- Crossbar

REVERSIBLE SHELF

S__



Leaning Molding

Label Molding

Number of reinforcements :

8" to 12"	1 reinforcement
14" and 16"	2 reinforcements
18" to 22"	3 reinforcements
24" to 28"	4 reinforcements
30"	5 reinforcements

FEATURES

- Made of 22 ga steel with Vic tag
- 1 1/4" Label Molding
- The recommended loads are based on an even distribution of weight on the shelf and by type of brackets. See shelves with brackets for maximum loads
- Capacity is reduced by 30% when only the front half of the shelf is charged.

ORDER CODE: S4822

Create the ORDER CODE by selecting model, size, type, and finishes from each column in the chart.


S	LL	DD
24	08	20
30	10	22
36	12	24
48	14	26
	16	28
	18	30




BN



BG



BY



FEATURES

- BN, BG, BY straight brackets
- BL, BH sloped brackets

ORDER CODE: BN-12


Create the
ORDER CODE
by selecting
model, size, type,
and finishes from
each column
in the chart.

XX	DD	
BN	08	20
BG	10	22
BY	12	24
BL	14	26
	16	28
	18	30

Bracket Code	DD	Shelf Capacity
BN	8" to 16"	250 lbs
BG	16" to 26"	450 lbs
BY	26" to 30"	500 lbs
BL	8" to 16"	400 lbs
BH	18" to 24"	450 lbs

SHELF WITH BRACKETS

S_____



Code	DD	Bracket Code	Shelf Capacity
SN	8" to 16"	BN	250 lbs
SG	18" to 24"	BG	450 lbs
SY	26" to 30"	BY	500 lbs

FEATURES

- The recommended loads are based on an even distribution of weight on the shelf and by type of brackets.

- Capacity is reduced by 30% when only the front half of the shelf is charged.

OPTION

- Welded brackets


ORDER CODE: OPSN4810

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

XX	XX	LL	DD
Without prefix (Separate brackets)	SN	24	08 20
	SG	30	10 22
	SY	36	12 24
		48	14 26
OP (welded brackets)			16 28
			18 30

SHELF WITH TILTING BRACKETS

S_____



Code	DD	Bracket Code	Shelf Capacity
SL	8" to 16"	BL	400 lbs
SH	18" to 24"	BH	450 lbs

FEATURES

- Two possible positions: straight or sloped at 20°

- The recommended loads are based on an even distribution of weight on the shelf and by type of brackets.

- Capacity is reduced by 30% when only the front half of the shelf is charged.

OPTION

- Welded brackets


ORDER CODE: OPSL4810

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

XX	XX	LL	DD
Without prefix (Separate brackets)	SL	24	08 18
	SH	30	10 20
		36	12 22
		48	14 24
OP (welded brackets)			16

ACRYLIC FENCE

GF03_-01 & GLFF_-01



FEATURES

- 1/4" clear acrylic

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

FENCE

ORDER CODE:
GF0348-01

MOLDING TO RECEIVE ACRYLIC FENCE


ORDER CODE:
GLFF48-01

GF	LL	-01
	24	
	30	
	36	
	48	

GLFF	LL	-01
	24	
	30	
	36	
	48	

WIRE FENCE

FF2__ & WF2__



FEATURES

- Finished in chrome
- Fixed in the holes of the shelf
- Fences and dividers can be used separately

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

FENCE

ORDER CODE:
FF248

DIVIDER


ORDER CODE:
WF214

FF2	LL
	24
	30
	36
	48

WF2	DD
	14 22
	16 24
	18
	20

METAL FENCE

MS__



FEATURES

- Painted steel
- Fixed in the holes of the shelf

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:
MS48

MS	LL
	24
	30
	36
	48

WOOD & GLASS SHELF

WOS ____ GS ____

FEATURES

- Metal brackets with a melamine shelf
- Various finishes and colors



Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE: WOS

WOS	LL	DD
	08	16
	10	20
	12	22
	14	24
	16	29
		30
		32
		36
		48

ORDER CODE: FIB

FIB	LL
	08
	10
	12
	14
	16



FEATURES

- Metal brackets with a glass shelf

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE: GS


GS	LL	DD
	24	10
	30	12
	36	14
	48	16
		20
		36
		48

ORDER CODE: BRF

BRF	LL
	24
	30
	36
	48

STANDARD END PANEL

EPW__



FEATURES

- Secure on the post and base shelf

OPTION

- Melamine or plastic color finish
- Fixing to the post: **CR14LH** and **CR14RH**



ORDER CODE: EPW8416LHPL


Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

EPW	HH	DD	RR	-XX
	84 96	12 14 16 18 20 24	LH(left) RH(right)	Without extension (standard melamine) PL (Laminated plastic finish)

Other heights available upon request

RADIUS END PANEL

EPWR__



FEATURES

- Secure on the post and base shelf

OPTION

- Melamine or plastic color finish
- Fixing to the post: **CR14LH** and **CR14RH**



ORDER CODE: EPWR8416LHPL


Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

EPWR	HH	DD	RR	-XX
	84 96	12 14 16 18 20 24	LH(left) RH(right)	Without extension (standard melamine) PL (Laminated plastic finish)

Other heights available upon request

MELAMINE INSIDE CORNER

IC__



FEATURES

- Comes in pieces.
- To be adjusted on site.
- 1-sided color finish if in laminated plastic.

OPTION

- Melamine or plastic color finish.


ORDER CODE: IC242484PL

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

IC	2424	HH	XX
		72 84 96	Without extension (standard melamine)
			PL (Laminated plastic finish)

WIRE SIDE WINGS

043-1064814__



FEATURES

- Special hooks
- Fixings included
- Sold as a pair
- Hooks included (196PRE127)



ORDER NUMBERS:

043-1064814

Part No.	Side Wings Shelves
196PRE126	13 7/8 in. L x 4 3/8 in. D
Part No.	Side Wing
043-1064814	14 in. L x 4 3/4 in. D x 47 in. H

LESP



SESP





FEATURES

- Frames with natural aluminum finish.
- Perforated masonite painted on 2 sides.
- Sold as a pair.

ORDER CODE: SESP1448

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

XXXX	DD	HH
LESP SESP	12	48
	14	54
	16	60
	18	66
	20	72
		84



FEATURES

- Connection plate for joints.

OPTIONS

- Color finish 1 side if in laminated plastic.
- Melamine or plastic color finish.

NOTE

- Canopy support adjustable from 18" to 26".



FEATURES

- Fixed on the side of the post.
- Color finish 1 side if in laminated plastic.
- The canopy end is attached to the post with hardware.

OPTIONS

- Melamine or plastic color finish.

ORDER CODE: COR1048PL

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

COR	HH	LL	XX
	8	48	Without extension (standard melamine)
	10	96	PL (Laminated plastic finish)
	12		


ORDER CODE: SEC1020PL

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SEC	HH	20	XX
	8		Without extension (standard melamine)
	10		PL (Laminated plastic finish)
	12		


EXTENSIONS

EXP__



FEATURES

- Extension of structure to increase the height of islands or walls. Fits into existing posts and the existing double finish cap is moved onto the extension.
- Double post allowing the installation of shelves and accessories with heavy load.



No.	Part No.	Description
1	DC LL	Double end cap
2	BP LL HH	Perforated masonite back
3	EXP HH EP	Double End Post Extension
3C	EXP HH CP	Double center post extension
4	PJPD LL	Double panel joint


ORDER CODE: EXP4818F-P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

EXP	LL	HH	X	-XXX
	24 30 36 48	6 12 18 24 30 36	F (First) A (Add)	Without extensions (Perforated) Standard P (Plain) WSW (Slatwall)

MAGAZINE DISPLAY

MR__



FEATURES

- Painted steel
- Openwork sides


ORDER CODE: MR448-02

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

MR	E	LL
	3	36
	4	48
	5	

METAL BASKET

MBB__ & MBD__ & MBS__



Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

**METAL
BASKET**

ORDER CODE:
MBB4812

MBB	LL	DD
	36	12
	48	14
		16

SUBDIVISION

ORDER CODE:
MBD412


MBD	4	DD
		12
		14
		16

DIVISION

ORDER CODE:
MBS44

WIRE BASKET

WB__ & DD__



FEATURES

- Colour Standard is Chrome but can be painted upon request to match shelving colours.

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

BASKET

ORDER CODE:
WB4812


WB	LL	DD
	30	12
	36	14
	48	16
		18

DIVIDER

ORDER CODE:
DD14

DD	DD
	12
	14
	16
	18

INCLINED SHELF 45° with SUPPORTS BOS__13



FEATURES

- 22ga steel with standard label molding


ORDER CODE: **BOS4813**

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

BOS	LL	13
	24	
	30	
	36	
	48	

CROSSBAR

RCB__



FEATURES

- 1 1/2" high x 1/2" crossbar

ORDER CODE: **RCB4806**

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

RCB	LL	DD
	36	01
	48	03
		06
		12



FEATURES

- Shelf above and below
- 22ga steel sides
- Optional 1/4" tempered glass doors

OPTIONS

- Optional lock sold separately


ORDER CODE: MWS364616

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

MWS	LL	HH	DD
	36 48	46 56	16

SLATWALL PANEL

SW7130__



FEATURES

- Fixed directly to the wall with screws

ORDER CODE: SW7130WSW

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SW7130	XXX
	WSW
	WSWCG

WALL POSTS

SP1342__ & SP1344__ & SP1346__

FEATURES

- Made of 12ga steel
- Cut on site if necessary
- Accepts straigh brackets only
- Must be securely fixed to the wall

ORDER CODE: SP134248

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SP1342	HH
	48
	84
	96

FEATURES

- Made of 12ga steel
- Cut on site if necessary
- Accepts straight brackets only
- To be used between slatwall panels screwed to the wall
- Must be securely fixed to the wall

ORDER CODE: SP134484

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SP1344	HH
	48
	84
	96




FEATURES

- Made of 12ga steel
- Cut on site if necessary
- Accepts straight and sloped brackets only
- Must be securely fixed to the wall


ORDER CODE: SP134696

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

SP1346	HH
	84
	96



SLATWALL HOOKS



Minimum Quantity 100

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:	SWH9054	LL
SWH905412		04 10 06 12 08

Minimum Quantity 100


OPTION:
Label Holder 196LAB700 (Sold separately)

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:	196CRO	XXX
196CRO104		(105)06 (104)08 (106)11

SMALL HOOKS

SWH_---



OPTION:
Small Hooks to be used only for slatwall panel

ORDER CODE:

SWH9056 - Minimum Quantity 100

SWH9057 - Minimum Quantity 100

HOOK FOR PERFORATED PANEL



Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:	PH9126	LL
PH912612		04 10 06 12 08

HOOK WITH LABEL FOR PERFORATED PANEL



Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:	PH9125	LL
PH912508		04 08 06 11

HOOK FOR CROSSBAR RCB




Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

ORDER CODE:	CBH-9011-	L
CBH-9011-8		8 12

SELF-ADHESIVE CLEAR LABEL MOULDING

196MOU150




FEATURES

- For 1 1/4" label
- Sold only in 48" length

COLOR LABEL MOULDING

196MOU__



FEATURES

- For 1 1/4" label
- Sold only in 48" length

OPTIONS

- 196MOU500** - Black
- 196MOU525** - Blue
- 196MOU530** - Clear

TICKET MOULDING

196MOU225



FEATURES

- Sold for 24", 36", and 48" shelves

OPTIONS

- Sold in black colour


4-WAY DISPLAY

LFW__




ON WHEELS

ORDER CODE:
LFWW2454




ON LEGS

ORDER CODE:
LFW2454



ON BASE

ORDER CODE:
LFWL2454



FEATURES

- Economical display with steel post structure 1 in. x 1 in. Available on leg or on metal platform with or without wheels.
- Delivered in separate parts (12 upper shelves and a platform, if applicable)

OPTIONS

- Choice of different backs: (plain or perforated masonite or slatwall panel)
- The display also accepts **SN2408** and **SN2410** shelves and different types of hooks (not included)

ORDER CODE: LFWW2454 -P

Create the **ORDER CODE** by selecting model, size, type, and finishes from each column in the chart.

XXXX

LFWW2454
LFW2454
LFWL2454

-XXX

Without extensions
(Perforated) Standard


P (Plain)

WSW (Slatwall)

No.	Part No.	Description
1	LFWW2454C	Cap for 4-way display
2	143VIS148	2" power head self-drilling screw
3	LFWW2454A	Perforated panel assembled for 4-way display
4	SN2412	12" shelf with brackets
5	118BOU018	Zinc 3 / 8-16 hex head bolt
6	LFWW2454B	Base on wheels for 4-way display

CIGARETTE CABINETS

5 Drawer Cabinet




FEATURES

- Available in 36", 42" and 48" width
- Each drawer is 5" high
- With lock

OPTIONS

- Platform (6 1/8" high)
- Metal top (1 5/8" high)

7 Drawer Cabinet





VICSTORE

1440, NOTRE-DAME OUEST
VICTORIAVILLE (QUÉBEC)
G6P 7L7 CANADA

vicstore.com

Can. Patent No. : 2,446,451
US Patent No. : 7,343,864 B2

The present patents grant
VicStore Fixtures and its legal
representatives the exclusive
right, privilege and liberty of
making, constructing, using
the invention and selling it
to others to be used.

All products and their names
shown in this publication are
property of **VicStore Fixtures**.
No unauthorized copying is permitted.

© 2012 Vic Store Fixtures.
All rights reserved.

Edition : Feb 2024